



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/805,907	03/22/2004	Michael I. Rosenfelt	1744-702USPT	2039

58687 7590 07/27/2007
DUBOIS, BRYANT, CAMPBELL & SCHWARTZ, LLP
700 LAVACA STREET
SUITE 1300
AUSTIN, TX 78701

EXAMINER

LEE, JUSTIN YE

ART UNIT	PAPER NUMBER
----------	--------------

2617

MAIL DATE	DELIVERY MODE
-----------	---------------

07/27/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/805,907	Applicant(s) ROSENFELT ET AL.	
	Examiner Justin Y. Lee	Art Unit 2617	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 May 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-19, 21-23, 25-34, 36, 38 and 39 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-19, 21-23, 25-34, 36, 38-39 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claim 25 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The claimed limitation "users of said wireless devices are notified that said primary email system is unavailable" is not disclosed in the specification.

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1 and 25 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claims 1 and 25, the limitation "synchronizing said email messages received on said secondary email system while said primary email system was unavailable with the messages in said primary email system. How is the email message

Art Unit: 2617

received on the secondary email system being synchronize with the messages in the primary email system "WHILE" the primary email system was unavailable?

4. Claims 18 and 19 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 18 and 19 recites the limitation "the intended recipient" in claims 18 and 19. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1-10 and 25-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pickup et al. (US 2003/0050984 A1) in view of Easterbrook et al. (US 6,886,030 B1) and further in view of Wallach et al. (US 6,292,905).

Consider claims 1 and 25. Pickup et al. disclose a method and system for providing backup electronic messaging services to wireless devices during outages (Fig. 1), comprising:

sending email messages from a primary email system to a user's wireless device (paragraph 55 and 56, the email message is send from mail server 1 to wireless device through SMS server and cell network 10);

when said primary email system is unavailable, redirecting said email messages from said primary email system to a secondary email system and from said secondary email system to said user's wireless device (paragraph 57, when the mail server 1 fails the email is redirected to back up mail server 6 for storage and processing);

at such time as said primary email service becomes available, redirecting said email messages from said secondary email system to said primary email system and from said primary email system to said user's wireless device (paragraph 57, the email messages are redirected back to the mail server 1 when mail server 1 is becoming available).

Pickup et al. do not disclose notifying said user that said email messages are available on said user's wireless device through said secondary email system at such time as said redirection of said email messages has been implemented; notifying said user that said email messages are available on said user's wireless device through said primary email system at such time as said redirection of said email messages has been implemented.

Easterbrook et al. further disclose notifying said user that said email messages are available on said user's wireless device through said secondary email system at such time as said redirection of said email messages has been implemented (abstract,

e-mail service system notifies the user about an e-mail is available and send the e-mail to the user);

notifying said user that said email messages are available on said user's wireless device through said primary email system at such time as said redirection of said email messages has been implemented (abstract, e-mail service system notifies the user about an e-mail is available and send the e-mail to the user. When Pickup and Easterbrook combined, the combination teach each of the primary mail system and backup mail system of Pickup would send out notification and email to user as taught in Easterbrook).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Easterbrook et al. into the teachings of Pickup et al. for the purposes of reducing cost on checking e-mail message (col. 1, lines 27-38).

Pickup et al. and Easterbrook et al. do not disclose synchronizing said email messages received on said secondary email system while said primary email system was unavailable with the messages in said primary email system.

Wallach et al. further disclose synchronizing said email messages received on said secondary email system while said primary email system was unavailable with the messages in said primary email system (col. 8, lines 1-7 and col. 9, lines 13-20, after the primary system come back to work, the database in the primary system need to synchronize with the backup system).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Wallach et al. into the teachings of Pickup et al. and Easterbrook et al. for the purposes of reducing cost (col. 2, lines 42-46).

Consider claims 2 and 26. Pickup et al. also disclose wherein said primary email system is located remotely from said secondary email system and is interconnected to said secondary email system through the Internet (Fig. 1 and paragraph 54 and 57).

Consider claims 3 and 27. Pickup et al. also disclose wherein the determination of when said primary email system is unavailable is performed manually by assessing whether an error message has been received indicating an inability to deliver an email message to said primary email system (paragraph 57).

Consider claims 4 and 28. Pickup et al. also disclose wherein said email messages to all addresses on said primary email system are automatically redirected to said secondary email system at any time any of said email addresses on said primary email system are unavailable (paragraph 57).

Consider claims 5 and 29. Pickup et al. also disclose wherein said email messages to all email addresses on said primary email system are redirected to said secondary email system after some, but less than all, of said email messages are unavailable (paragraph 57).

Consider claims 6 and 30. Pickup et al. also disclose wherein said step of notifying said user that said email messages are available on said secondary email

system further includes the automated delivery of a preexisting notification email message to an alternate email address for said users (paragraph 57).

Consider claims 7 and 31. Pickup et al. also disclose wherein assessing the time at which said primary email system is available includes periodically pinging email addresses on said primary email system and evaluating whether a response is received from said email addresses (paragraph 57).

Consider claims 8 and 32. Pickup et al. also disclose wherein said notification of said user that said email messages are again available on said primary email system consists of the automated delivery of a preexisting notification email message to an alternate email address for said user (paragraph 57).

Consider claims 9 and 33. Pickup et al. also disclose wherein the ability to redirect said email messages from said primary email system to said secondary email system is password protected (paragraph 55).

Consider claims 10 and 34. Pickup et al. also disclose wherein one or more of said wireless devices is selected from the group consisting of personal digital assistant devices, cell phones and pagers (paragraph 56).

7. Claims 1-10 and 25-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pickup et al. (US 2003/0050984 A1) in view of Easterbrook et al. (US 6,886,030 B1) and further in view of Mosher, Jr. (US 5,884,328).

Consider claims 1 and 25. Pickup et al. disclose a method and system for providing backup electronic messaging services to wireless devices during outages (Fig. 1), comprising:

sending email messages from a primary email system to a user's wireless device (paragraph 55 and 56, the email message is send from mail server 1 to wireless device through SMS server and cell network 10);

when said primary email system is unavailable, redirecting said email messages from said primary email system to a secondary email system and from said secondary email system to said user's wireless device (paragraph 57, when the mail server 1 fails the email is redirected to back up mail server 6 for storage and processing);

at such time as said primary email service becomes available, redirecting said email messages from said secondary email system to said primary email system and from said primary email system to said user's wireless device (paragraph 57, the email messages are redirected back to the mail server 1 when mail server 1 is becoming available).

Pickup et al. do not disclose notifying said user that said email messages are available on said user's wireless device through said secondary email system at such time as said redirection of said email messages has been implemented; notifying said user that said email messages are available on said user's wireless device through said primary email system at such time as said redirection of said email messages has been implemented.

Easterbrook et al. further disclose notifying said user that said email messages are available on said user's wireless device through said secondary email system at such time as said redirection of said email messages has been implemented (abstract, e-mail service system notifies the user about an e-mail is available and send the e-mail to the user);

notifying said user that said email messages are available on said user's wireless device through said primary email system at such time as said redirection of said email messages has been implemented (abstract, e-mail service system notifies the user about an e-mail is available and send the e-mail to the user. When Pickup and Easterbrook combined, the combination teach each of the primary mail system and backup mail system of Pickup would send out notification and email to user as taught in Easterbrook).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Easterbrook et al. into the teachings of Pickup et al. for the purposes of reducing cost on checking e-mail message (col. 1, lines 27-38).

Pickup et al. and Easterbrook et al. do not disclose synchronizing said email messages received on said secondary email system while said primary email system was unavailable with the messages in said primary email system.

Mosher, Jr. further disclose synchronizing said email messages received on said secondary email system while said primary email system was unavailable with the messages in said primary email system (col. 1, lines 56-col. 2, lines 5, primary system

need to synchronizing with the backup system after the primary system resume to operation after a failure so the primary system has new data processed when the primary system was in outage).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Mosher, Jr into the teachings of Pickup et al. and Easterbrook et al. for the purposes of improved efficiency and speed and efficient synchronization (col. 2, lines 51-60).

Consider claims 2-10 and 26-34 please see the rejection in section 7 for detailed rejection.

8. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pickup et al. (US 2003/0050984 A1) in view of Wallach et al. (US 6,292,905).

Consider claim 11. Pickup et al. disclose a method for intercepting and redirecting email messages to wireless devices (Fig. 1), comprising:

Intercepting email messages responsive an outage of a primary email system prior to said email messages passing through a company's firewall, wherein said step of intercepting is performed during said outage of the primary email system (Fig. 1 and paragraph 57, when the mail server fails, the email is directed to backup mail server 6 from internet 3 without (prior) going through the firewall 17 that is connected to the mail server 1);

Redirecting said email messages to a pre-specified alternate location (paragraph 57); and

Delivering said email messages from said pre-specified alternate location to said wireless devices (paragraph 57).

Pickup et al. do not disclose responsive to detection of an outage of a primary email system.

Wallach et al. further disclose the backup system takes over the primary system when detection of an outage of a primary system occurs (col. 2, lines 20-22).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Wallach et al. into the teachings of Pickup et al. for the purposes of reducing cost (col. 2, lines 42-46).

9. Claims 12, 13, and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pickup et al. (US 2003/0050984 A1) in view of Wallach et al. (US 6,292,905) and further in view of Weatherby et al. (US 2004/0054741 A1).

Consider claims 12 and 36. Pickup et al. disclose a method and system for intercepting and redirecting email messages to wireless devices (Fig. 1), comprising:

Intercepting email messages responsive to an outage of a primary email system before said email messages enter said primary email system, wherein said step of intercepting is performed during said outage of the primary email system (paragraph 57 and Fig. 1, email is intercepted before mail server 1);

Redirecting said email messages to a pre-specified alternate location (paragraph 25); and

Delivering said email messages from said pre-specified alternate location to said wireless device (paragraph 57).

Pickup et al do not disclose responsive to detection of an outage of a primary email system.

Wallach et al. further disclose the backup system takes over the primary system when detection of an outage of a primary system occurs (col. 2, lines 20-22).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Wallach et al. into the teachings of Pickup et al. for the purposes of reducing cost (col. 2, lines 42-46).

Pickup et al. and Wallach et al. do not disclose the interception happens after said email messages pass through a company's firewall.

Weatherby et al. further disclose the interception happens after said email messages pass through a company's firewall (Fig. 3 and paragraph 59, the email message are intercepted after firewall 325).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Weatherby et al. into the teachings of Pickup et al. and Wallach et al. for the purposes of filtering and monitoring emails (paragraph 18 and 19).

Consider claim 13. Pickup et al. and Wallach et al. and Weatherby et al. together disclose wherein said step of intercepting email messages after said email messages pass through a company's firewall operates integrally with the company's anti-virus or

anti-spam application (Pickup et al., paragraph 2 and 62 and Wallach et al., col. 2, lines 20-22 and Weatherby et al., Fig. 3 and paragraph 59 and 61).

10. Claims 14 and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pickup et al. (US 2003/0050984 A1) in view of Wallach et al. (US 6,292,905) and further in view of Weatherby et al. (US 2004/0054741 A1).

Consider claims 14 and 38. Pickup et al. disclose intercepting email messages responsive to an outage of a primary email system wherein said step of intercepting is performed during said outage of the primary email system (paragraph 57 and Fig. 1);

Redirecting said email messages to a pre-specified alternate location (paragraph 25); and

Delivering said email messages from said pre-specified alternate location to said wireless devices (paragraph 57).

Pickup et al do not disclose responsive to detection of an outage of a primary email system.

Wallach et al. further disclose the backup system takes over the primary system when detection of an outage of a primary system occurs (col. 2, lines 20-22).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Wallach et al. into the teachings of Pickup et al. for the purposes of reducing cost (col. 2, lines 42-46).

Pickup et al. and Wallach et al. do not disclose after said email messages enter said primary email system, but before said email messages leave an Internet mail connector.

Weatherby et al. further disclose after said email messages enter said primary email system, but before said email messages leave an Internet mail connector (Fig. 3 and paragraph 59, the email redirected or copied to a backup server 370 is the same email that is already in the main server 365).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Weatherby et al. into the teachings of Pickup et al. and Wallach et al. for the purposes of filtering and monitoring emails (paragraph 18 and 19).

11. Claims 15 and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pickup et al. (US 2003/0050984 A1) in view of Wallach et al. (US 6,292,905).

Consider claims 15 and 39. Pickup et al. disclose intercepting, responsive to an outage of a primary email system, email messages directed to non-functioning addresses within the primary email system on a real-time basis, wherein said step of intercepting is performed during said outage of the primary email system (paragraph 57 while the primary email system is not operational/working all the addresses within the primary email system are non-functioning addresses, therefore all email will be directed to the backup email system 5);

Redirecting said email messages to a pre-specified alternate location (paragraph 25); and

Delivering said email messages from said pre-specified alternate location to said wireless devices (paragraph 57).

Pickup et al do not disclose responsive to detection of an outage of a primary email system.

Wallach et al. further disclose the backup system takes over the primary system when detection of an outage of a primary system occurs (col. 2, lines 20-22).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Wallach et al. into the teachings of Pickup et al. for the purposes of reducing cost (col. 2, lines 42-46).

12. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pickup et al. (US 2003/0050984 A1) in view of Wallach et al. (US 6,292,905).

Consider claim 16. Pickup et al. disclose intercepting, responsive to an outage of a primary email system, email messages intended for the primary email system within an email application through the use of an event sink designed to inspect email message traffic (paragraph 15, 57, 60, and 62 the primary mail system has software to inspect email message traffic);

Redirecting said email messages to a pre-specified alternate location (paragraph 25); and

Delivering said email messages from said pre-specified alternate location to said wireless devices (paragraph 57).

Pickup et al do not disclose responsive to detection of an outage of a primary email system.

Wallach et al. further disclose the backup system takes over the primary system when detection of an outage of a primary system occurs (col. 2, lines 20-22).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Wallach et al. into the teachings of Pickup et al. for the purposes of reducing cost (col. 2, lines 42-46).

13. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pickup et al. (US 2003/0050984 A1) in view of Wallach et al. (US 6,292,905) further in view of Katsikas (US 2003/0191969 A1).

Consider claim 17. Pickup et al. disclose redirecting, responsive to detection of an outage of a primary email system, email messages intended to be delivered to said primary email system to a backup mail server and wherein said redirected email message have a low priority designation (paragraph 57, all the email messages are redirected to the backup mail server 6 regardless of priority, which includes lower priority designation).

Pickup et al do not disclose responsive to detection of an outage of a primary email system.

Wallach et al. further disclose the backup system takes over the primary system when detection of an outage of a primary system occurs (col. 2, lines 20-22).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Wallach et al. into the teachings of Pickup et al. for the purposes of reducing cost (col. 2, lines 42-46).

Pickup et al. and Wallach et al. do not disclose a mail server can be a SMTP host.

Katsikas further disclose a mail server can be a SMTP host (paragraph 41).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Katsikas into the teachings of Pickup et al. and Wallach et al. for the purposes of an undefeatable spam control system (paragraph 5).

14. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pickup et al. (US 2003/0050984 A1) in view of Wallach et al. (US 6,292,905) further in view of Easterbrook et al. (US 6,886,030 B1).

Consider claim 18. Pickup et al. disclose changing a domain name system designation of a primary email system responsive to an outage of the primary email system (paragraph 57, the domain name need to be changed in order to redirect an email message to a different server);

Directing inbound email messages to an alternate facility (paragraph 57); and

Delivering said email messages from said alternate facility to said wireless devices (paragraph 57).

Delivering said email messages form said alternate facility to said wireless devices; and

Pickup et al do not disclose responsive to detection of an outage of a primary email system.

Wallach et al. further disclose the backup system takes over the primary system when detection of an outage of a primary system occurs (col. 2, lines 20-22).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Wallach et al. into the teachings of Pickup et al. for the purposes of reducing cost (col. 2, lines 42-46).

Pickup et al. and Wallach et al. do not disclose notifying the intended recipient of said email messages that said messages are available on said recipient's wireless device through said alternate facility at such time as said redirection of said email messages has been implemented.

Easterbrook et al. further disclose notifying the intended recipient of said email messages that said messages are available on said recipient's wireless device through said alternate facility at such time as said redirection of said email messages has been implemented (abstract, e-mail service system notifies the user about an e-mail is available and send the e-mail to the user. When Pickup and Easterbrook combined, the combination teach each of the primary mail system and backup mail system of Pickup would send out notification and email to user as taught in Easterbrook).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Easterbrook et al. into the teachings of Pickup et al. and Wallach et al. for the purposes of reducing cost on checking e-mail message (col. 1, lines 27-38).

15. Claims 19 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pickup et al. (US 2003/0050984 A1) in view of Wallach et al. (US 6,292,905) further in view of Easterbrook et al. (US 6,886,030 B1).

Consider claim 19. Pickup et al. disclose maintaining a mapping of alternate email addresses of the wireless devices (paragraph 57);

Delivering, via said alternate email address, the email messages to said wireless device responsive to an outage of a primary email system (paragraph 57);

Wherein said step of delivering is performed during said outage of a primary path for delivering said email messages (paragraph 57).

Pickup et al do not disclose responsive to detection of an outage of a primary email system.

Wallach et al. further disclose the backup system takes over the primary system when detection of an outage of a primary system occurs (col. 2, lines 20-22).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Wallach et al. into the teachings of Pickup et al. for the purposes of reducing cost (col. 2, lines 42-46).

Pickup et al. and Wallach et al. do not disclose notifying the intended recipient of said email messages that said messages are available on said recipient's wireless device through said alternate facility at such time as said redirection of said email messages has been implemented.

Easterbrook et al. further disclose notifying the intended recipient of said email messages that said messages are available on said recipient's wireless device through said alternate facility at such time as said redirection of said email messages has been implemented (abstract, e-mail service system notifies the user about an e-mail is available and send the e-mail to the user. When Pickup and Easterbrook combined, the combination teach each of the primary mail system and backup mail system of Pickup would send out notification and email to user as taught in Easterbrook).

Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Easterbrook et al. into the teachings of Pickup et al. and Wallach et al. for the purposes of reducing cost on checking e-mail message (col. 1, lines 27-38).

Consider claim 21. Pickup et al. also disclose pulling messages from a mailbox within a secondary email system to the wireless device (paragraph 57).

16. Claims 22 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pickup et al. (US 2003/0050984 A1) in view of Wallach et al. (US 6,292,905) and

Easterbrook et al. (US 6,886,030 B1) as applied to claim 21 and further in view of Katsikas (US 2003/0191969 A1).

Consider claims 22 and 23. Pickup et al. and Wallach et al. and Easterbrook et al. do not disclose wherein said mailbox is a pop3 mailbox or an imap4 mailbox.

Katsikas further disclose wherein said mailbox is a pop3 mailbox or an imap4 mailbox (paragraph 41).


Therefore, it would have been obvious to one of ordinary skill at the time the invention was made to utilize the teachings of Katsikas into the teachings of Pickup et al. and Wallach et al. and Easterbrook et al. for the purposes of an undefeatable spam control system (paragraph 5).

17. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Justin Y. Lee whose telephone number is (571) 272-5258. The examiner can normally be reached on M - F 8:30 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duc Nguyen can be reached on 571-272-7503. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Justin Lee
AU 2617
7/17/07


DUC M. NGUYEN
SUPERVISORY PRIMARY EXAMINER
TECHNOLOGY CENTER 2600